





Cable trunking 電線槽




Centre Caption 肚臍蓋型



Screw Fix 螺絲蓋型



Clip Fix 彈夾蓋型




Multi-Compartment 分格式

Cable trunking size 電線槽尺寸 (mm)	Dimension 尺寸 (mm)		Model Number 型號		
	A	B	Centre Caption (QT) 肚臍蓋型	Screw Fix (ST) 螺絲蓋型	Clip Fix (CT) 彈夾蓋型
50 x 50	50	50	QT2X2T10	ST2X2T10	CT2X2T10
75 x 50	75	50	QT3X2T12	ST3X2T12	CT3X2T12
75 x 75	75	75	QT3X3T12	ST3X3T12	CT3X3T12
100 x 75	100	75	QT4X3T12	ST4X3T12	CT4X3T12
100 x 100	100	100	QT4X4T14	ST4X4T14	CT4X4T14
150 x 100	150	100	QT6X4T14	ST6X4T14	CT6X4T14
150 x 150	150	150	QT6X6T16	ST6X6T16	CT6X6T16
200 x 150	200	150	QT8X6T16	ST8X6T16	CT8X6T16
200 x 200	200	200	QT8X8T16	ST8X8T16	CT8X8T16


Other sizes can be custom made
其他尺寸可按客戶要求生產

Cable trunking - Fittings and accessories 電線槽曲及配件


90° Mitre bend 90° 斜角槽曲



Front opening 正面蓋型




Internal opening 內開蓋型




External opening 外開蓋型

Suitable for trunking size 適用線槽尺寸 (mm)	Dimension 尺寸 (mm)					Model: Centre Caption 肚臍蓋型 (QT), Screw Fix 螺絲蓋型 (ST), Clip fix 彈夾蓋型 (CT)		
	A	B	C	D	E	Front opening 正面蓋型	Internal Opening 內開蓋型	External opening 外開蓋型
50 x 50	125	125	106	125	125	QT/ST/CT 2X2.1T10	QT/ST/CT 2X2.2T10	QT/ST/CT 2X2.4BT10
75 x 50	150	150	106	125	125	QT/ST/CT 3X2.1T12	QT/ST/CT 3X2.2T12	QT/ST/CT 3X2.4BT12
75 x 75	150	150	106	150	150	QT/ST/CT 3X3.1T12	QT/ST/CT 3X3.2T12	QT/ST/CT 3X3.4BT12
100 x 75	175	175	106	150	150	QT/ST/CT 4X3.1T12	QT/ST/CT 4X3.2T12	QT/ST/CT 4X3.4BT12
100 x 100	175	175	106	175	175	QT/ST/CT 4X4.1T14	QT/ST/CT 4X4.2T14	QT/ST/CT 4X4.4BT14
150 x 100	225	225	106	175	175	QT/ST/CT 6X4.1T14	QT/ST/CT 6X4.2T14	QT/ST/CT 6X4.4BT14
150 x 150	225	225	106	225	225	QT/ST/CT 6X6.1T16	QT/ST/CT 6X6.2T16	QT/ST/CT 6X6.4BT16
200 x 150	275	275	106	225	225	QT/ST/CT 8X6.1T16	QT/ST/CT 8X6.2T16	QT/ST/CT 8X6.4BT16
200 x 200	275	275	106	275	275	QT/ST/CT 8X8.1T16	QT/ST/CT 8X8.2T16	QT/ST/CT 8X8.4BT16


90° Sharp bend 90° 死角槽曲



Front opening 正面蓋型



Internal opening 內開蓋型




External opening 外開蓋型


Suitable for trunking size 適用線槽尺寸 (mm)	Dimension 尺寸 (mm)					Model: Centre Caption 肚臍蓋型 (QT), Screw Fix 螺絲蓋型 (ST), Clip fix 彈夾蓋型 (CT)		
	A	B	C	D	E	Front opening 正面蓋型	Internal Opening 內開蓋型	External opening 外開蓋型
50 x 50	125	125	75	125	125	QT/ST/CT 2X2.1AT10	QT/ST/CT 2X2.2AT10	QT/ST/CT 2X2.4AT10
75 x 50	150	150	75	125	125	QT/ST/CT 3X2.1AT12	QT/ST/CT 3X2.2AT12	QT/ST/CT 3X2.4AT12
75 x 75	150	150	75	150	150	QT/ST/CT 3X3.1AT12	QT/ST/CT 3X3.2AT12	QT/ST/CT 3X3.4AT12
100 x 75	175	175	75	150	150	QT/ST/CT 4X3.1AT12	QT/ST/CT 4X3.2AT12	QT/ST/CT 4X3.4AT12
100 x 100	175	175	75	175	175	QT/ST/CT 4X4.1AT14	QT/ST/CT 4X4.2AT14	QT/ST/CT 4X4.4AT14
150 x 100	225	225	75	175	175	QT/ST/CT 6X4.1AT14	QT/ST/CT 6X4.2AT14	QT/ST/CT 6X4.4AT14
150 x 150	225	225	75	225	225	QT/ST/CT 6X6.1AT16	QT/ST/CT 6X6.2AT16	QT/ST/CT 6X6.4AT16
200 x 150	275	275	75	225	225	QT/ST/CT 8X6.1AT16	QT/ST/CT 8X6.2AT16	QT/ST/CT 8X6.4AT16
200 x 200	275	275	75	275	275	QT/ST/CT 8X8.1AT16	QT/ST/CT 8X8.2AT16	QT/ST/CT 8X8.4AT16

Cable trunking - Fittings and accessories 電線槽曲及配件


Mitre tee 斜角三叉




Front opening
正面蓋型



Top opening-Type 1
頂開蓋型-款式1




Top opening-Type 2
頂開蓋型-款式2




Internal opening
內開蓋型

Suitable for trunking size 適用線槽尺寸 (mm)	Dimension 尺寸 (mm)					Model: Centre Caption 肚臍蓋型 (QT), Screw Fix 螺絲蓋型 (ST), Clip fix 彈夾蓋型 (CT)			
	A	B	C	D	E	Front opening 正面蓋型	Top opening - Type 1 頂開蓋型-款式1	Top opening - Type 2 頂開蓋型-款式2	Internal Opening 內開蓋型
50 x 50	100	150	70	100	150	QT/ST/CT 2X2.3T10	QT/ST/CT 2X2.13B1T10	QT/ST/CT 2X2.13B2T10	QT/ST/CT 2X2.13CDT10
75 x 50	125	175	70	100	150	QT/ST/CT 3X2.3T12	QT/ST/CT 3X2.13B1T12	QT/ST/CT 3X2.13B2T12	QT/ST/CT 3X2.13CDT12
75 x 75	125	175	70	125	175	QT/ST/CT 3X3.3T12	QT/ST/CT 3X3.13B1T12	QT/ST/CT 3X3.13B2T12	QT/ST/CT 3X3.13CDT12
100 x 75	150	200	70	125	175	QT/ST/CT 4X3.3T12	QT/ST/CT 4X3.13B1T12	QT/ST/CT 4X3.13B2T12	QT/ST/CT 4X3.13CDT12
100 x 100	150	200	70	150	200	QT/ST/CT 4X4.3T14	QT/ST/CT 4X4.13B1T14	QT/ST/CT 4X4.13B2T14	QT/ST/CT 4X4.13CDT14
150 x 100	225	300	106	175	250	QT/ST/CT 6X4.3T14	QT/ST/CT 6X4.13B1T14	QT/ST/CT 6X4.13B2T14	QT/ST/CT 6X4.13CDT14
150 x 150	225	300	106	225	300	QT/ST/CT 6X6.3T16	QT/ST/CT 6X6.13B1T16	QT/ST/CT 6X6.13B2T16	QT/ST/CT 6X6.13CDT16
200 x 150	275	350	106	225	300	QT/ST/CT 8X6.3T16	QT/ST/CT 8X6.13B1T16	QT/ST/CT 8X6.13B2T16	QT/ST/CT 8X6.13CDT16
200 x 200	275	350	106	275	350	QT/ST/CT 8X8.3T16	QT/ST/CT 8X8.13B1T16	QT/ST/CT 8X8.13B2T16	QT/ST/CT 8X8.13CDT16


Sharp tee 死角三叉




Front opening
正面蓋型



Top opening-Type 1
頂開蓋型-款式1



Top opening-Type 2
頂開蓋型-款式2




Internal opening
內開蓋型


Suitable for trunking size 適用線槽尺寸 (mm)	Dimension 尺寸 (mm)					Model: Centre Caption 肚臍蓋型 (QT), Screw Fix 螺絲蓋型 (ST), Clip fix 彈夾蓋型 (CT)			
	A	B	C	D	E	Front opening 正面蓋型	Top opening - Type 1 頂開蓋型-款式1	Top opening - Type 2 頂開蓋型-款式2	Internal Opening 內開蓋型
50 x 50	100	150	50	100	150	QT/ST/CT 2X2.3AT10	QT/ST/CT 2X2.13AB1T10	QT/ST/CT 2X2.13AB2T10	QT/ST/CT 2X2.13ACDT10
75 x 50	125	175	50	100	150	QT/ST/CT 3X2.3AT12	QT/ST/CT 3X2.13AB1T12	QT/ST/CT 3X2.13AB2T12	QT/ST/CT 3X2.13ACDT12
75 x 75	125	175	50	125	175	QT/ST/CT 3X3.3AT12	QT/ST/CT 3X3.13AB1T12	QT/ST/CT 3X3.13AB2T12	QT/ST/CT 3X3.13ACDT12
100 x 75	150	200	50	125	175	QT/ST/CT 4X3.3AT12	QT/ST/CT 4X3.13AB1T12	QT/ST/CT 4X3.13AB2T12	QT/ST/CT 4X3.13ACDT12
100 x 100	150	200	50	150	200	QT/ST/CT 4X4.3AT14	QT/ST/CT 4X4.13AB1T14	QT/ST/CT 4X4.13AB2T14	QT/ST/CT 4X4.13ACDT14
150 x 100	225	300	75	175	250	QT/ST/CT 6X4.3AT14	QT/ST/CT 6X4.13AB1T14	QT/ST/CT 6X4.13AB2T14	QT/ST/CT 6X4.13ACDT14
150 x 150	225	300	75	225	300	QT/ST/CT 6X6.3AT16	QT/ST/CT 6X6.13AB1T16	QT/ST/CT 6X6.13AB2T16	QT/ST/CT 6X6.13ACDT16
200 x 150	275	350	75	225	300	QT/ST/CT 8X6.3AT16	QT/ST/CT 8X6.13AB1T16	QT/ST/CT 8X6.13AB2T16	QT/ST/CT 8X6.13ACDT16
200 x 200	275	350	75	275	350	QT/ST/CT 8X8.3AT16	QT/ST/CT 8X8.13AB1T16	QT/ST/CT 8X8.13AB2T16	QT/ST/CT 8X8.13ACDT16

Cable trunking - Fittings and accessories 電線槽曲及配件


135° Bend 135° 斜角槽曲



Front opening 正面蓋型




Internal opening 內開蓋型




External opening 外開蓋型

Suitable for trunking size 適用線槽尺寸 (mm)	Dimension 尺寸 (mm)				Model: Centre Caption 肚臍蓋型 (QT), Screw Fix 螺絲蓋型 (ST), Clip fix 彈夾蓋型 (CT)		
	A	B	C	D	Front opening 正面蓋型	Internal Opening 內開蓋型	External opening 外開蓋型
50 x 50	95	75	95	95	QT/ST/CT 2X2.11AT10	QT/ST/CT 2X2.11BT10	QT/ST/CT 2X2.11CT10
75 x 50	105	75	105	95	QT/ST/CT 3X2.11AT12	QT/ST/CT 3X2.11BT12	QT/ST/CT 3X2.11CT12
75 x 75	105	75	105	105	QT/ST/CT 3X3.11AT12	QT/ST/CT 3X3.11BT12	QT/ST/CT 3X3.11CT12
100 x 75	116	75	116	105	QT/ST/CT 4X3.11AT12	QT/ST/CT 4X3.11BT12	QT/ST/CT 4X3.11CT12
100 x 100	116	75	116	116	QT/ST/CT 4X4.11AT14	QT/ST/CT 4X4.11BT14	QT/ST/CT 4X4.11CT14
150 x 100	137	75	137	116	QT/ST/CT 6X4.11AT14	QT/ST/CT 6X4.11BT14	QT/ST/CT 6X4.11CT14
150 x 150	137	75	137	137	QT/ST/CT 6X6.11AT16	QT/ST/CT 6X6.11BT16	QT/ST/CT 6X6.11CT16
200 x 150	157	75	157	137	QT/ST/CT 8X6.11AT16	QT/ST/CT 8X6.11BT16	QT/ST/CT 8X6.11CT16
200 x 200	157	75	157	157	QT/ST/CT 8X8.11AT16	QT/ST/CT 8X8.11BT16	QT/ST/CT 8X8.11CT16

90° Mitre Cross 90° 十字槽曲



Front opening 正面蓋型




Internal opening 內開蓋型


Suitable for trunking size 適用線槽尺寸 (mm)	Dimension 尺寸 (mm)					Model: Centre Caption 肚臍蓋型 (QT), Screw Fix 螺絲蓋型 (ST), Clip fix 彈夾蓋型 (CT)	
	A	B	C	D	E	Flat Bend 正曲型	Internal Bend 內曲型
50 x 50	150	150	70	150	150	QT/ST/CT 2X2.5T10	QT/ST/CT 2X2.5CDT10
75 x 50	175	175	70	150	150	QT/ST/CT 3X2.5T12	QT/ST/CT 3X2.5CDT12
75 x 75	175	175	70	175	175	QT/ST/CT 3X3.5T12	QT/ST/CT 3X3.5CDT12
100 x 75	200	200	70	175	175	QT/ST/CT 4X3.5T12	QT/ST/CT 4X3.5CDT12
100 x 100	200	200	70	200	200	QT/ST/CT 4X4.5T14	QT/ST/CT 4X4.5CDT14
150 x 100	300	300	106	250	250	QT/ST/CT 6X4.5T14	QT/ST/CT 6X4.5CDT14
150 x 150	300	300	106	300	300	QT/ST/CT 6X6.5T16	QT/ST/CT 6X6.5CDT16
200 x 150	350	350	106	300	300	QT/ST/CT 8X6.5T16	QT/ST/CT 8X6.5CDT16
200 x 200	350	350	106	350	350	QT/ST/CT 8X8.5T16	QT/ST/CT 8X8.5CDT16

Cable trunking - Fittings and accessories 電線槽曲及配件


Flared connector 槽蓋刁士



Top opening 喇叭咀




Top opening 90° 槽蓋刁士




Side opening 扭向槽口短蓋

Suitable for trunking size 適用線槽尺寸 (mm)	Dimension 尺寸 (mm)					Model: Centre Caption 肚臍蓋型 (QT), Screw Fix 螺絲蓋型 (ST), Clip fix 彈夾蓋型 (CT)		
	A	C	X	Y	Z	Top Opening 喇叭咀	Top Opening (90°) 槽蓋刁士	Side Opening 扭向槽口短蓋
50 x 50	50	50	50	50	50	QT/ST/CT 2X2.15AT10	QT/ST/CT 2X2.15BT10	QT/ST/CT 2X2.17T10
75 x 50	75	50	75	50	50	QT/ST/CT 3X2.15AT12	QT/ST/CT 3X2.15BT12	QT/ST/CT 3X2.17T12
75 x 75	75	50	75	75	50	QT/ST/CT 3X3.15AT12	QT/ST/CT 3X3.15BT12	QT/ST/CT 3X3.17T12
100 x 75	100	50	100	75	50	QT/ST/CT 4X3.15AT12	QT/ST/CT 4X3.15BT12	QT/ST/CT 4X3.17T12
100 x 100	100	50	100	100	50	QT/ST/CT 4X4.15AT14	QT/ST/CT 4X4.15BT14	QT/ST/CT 4X4.17T14
150 x 100	150	50	150	100	50	QT/ST/CT 6X4.15AT14	QT/ST/CT 6X4.15BT14	QT/ST/CT 6X4.17T14
150 x 150	150	50	150	150	50	QT/ST/CT 6X6.15AT16	QT/ST/CT 6X6.15BT16	QT/ST/CT 6X6.17T16
200 x 150	200	50	200	150	50	QT/ST/CT 8X6.15AT16	QT/ST/CT 8X6.15BT16	QT/ST/CT 8X6.17T16
200 x 200	200	50	200	200	50	QT/ST/CT 8X8.15AT16	QT/ST/CT 8X8.15BT16	QT/ST/CT 8X8.17T16


Reducer 刁士



Left 左刁士



Equal 正刁士




Right 右刁士

Suitable for trunking size 適用線槽尺寸 (mm)	Dimension 尺寸 (mm)					Model: Centre Caption 肚臍蓋型 (QT), Screw Fix 螺絲蓋型 (ST), Clip fix 彈夾蓋型 (CT)
	A	B	C	D	E	
75x75-50x50	150	50	75	75	50	QT/ST/CT3X3.6T12
100x50-50x50	150	50	100	50	50	QT/ST/CT4X2.6T12
100x100-75x75	150	75	100	100	75	QT/ST/CT4X4.6T14
150x100-100x100	200	100	150	100	100	QT/ST/CT6X4.6T14
150x150-100x100	200	100	150	150	100	QT/ST/CT6X6.6T16
200x200 - 150x150	200	150	200	200	150	QT/ST/CT8X8.6T16


Cable trunking - Fittings and accessories 電線槽曲及配件

End cap 槽尾凸




Suitable for trunking size 適用線槽尺寸 (mm)	Dimension 尺寸 (mm)			Model Number 型號
	A	B	C	
50 x 50	48	48	25	ECS2X2
75 x 50	48	73	25	ECS3X2
75 x 75	73	73	25	ECS3X3
100 x 75	73	98	25	ECS4X3
100 x 100	98	98	25	ECS4X4
150 x 100	98	148	25	ECS6X4
150 x 150	148	148	25	ECS6X6
200 x 150	148	198	25	ECS8X6
200 x 200	198	198	25	ECS8X8

Cable support 電線掛片




Suitable for trunking size 適用線槽尺寸 (mm)	Dimension 尺寸 (mm)			Model Number 型號
	A	B	C	
50 x 50	250	45	45	CSF2X2
75 x 50	250	70	45	CSF3X2
75 x 75	250	70	70	CSF3X3
100 x 75	250	95	70	CSF4X3
100 x 100	250	95	95	CSF4X4
150 x 100	250	145	95	CSF6X4
150 x 150	250	145	145	CSF6X6
200 x 150	250	195	145	CSF8X6
200 x 200	250	195	195	CSF8X8

Trunking connector 槽駁片



Couple connector 對裝槽駁片




U-shaped connector U 型槽駁片

Suitable for trunking size 適用線槽尺寸 (mm)	Dimension 尺寸 (mm)				Model Number 型號	
	A	B	C	D	Couple Connector 對裝槽駁片	U-shaped Connector U 型槽駁片
50 x 50	45	70	-	48	CPF2	CPUF2X2
75 x 50	45	70	-	73	CPF2	CPUF3X2
75 x 75	70	70	35	73	CPF3	CPUF3X3
100 x 75	70	70	35	98	CPF3	CPUF4X3
100 x 100	95	70	60	98	CPF4	CPUF4X4
150 x 100	95	70	60	148	CPF4	CPUF6X4
150 x 150	145	70	111	148	CPF6	CPUF6X6
200 x 150	145	70	111	198	CPF6	CPUF8X6
200 x 200	195	70	160	198	CPF8	CPUF8X8


Cable trunking - Fittings and accessories 電線槽曲及配件

Flange 槽吊咀



Suitable for trunking size 適用線槽尺寸 (mm)	Dimension 尺寸 (mm)			Model Number 型號
	A	B	C	
50 x 50	48	48	25	FF2X2
75 x 50	48	73	25	FF3X2
75 x 75	73	73	25	FF3X3
100 x 75	73	98	25	FF4X3
100 x 100	98	98	25	FF4X4
150 x 100	98	148	25	FF6X4
150 x 150	148	148	25	FF6X6
200 x 150	148	198	25	FF8X6
200 x 200	198	198	25	FF8X8

Copper earth links 銅水線片



For project type 用於工程種類	Dimension 尺寸 (mm)				Model Number 型號
	Thickness 厚度 mm	A	B	C	
Business Project 一般商用電線槽	0.6	14	48	35	EL75
Architectural Services Department project 建築署用電線槽	1	14	57	35	EL100
Housing Authority Project 房屋署用電線槽	2	12	57	35	EL120
MTRC 地鐵	3	25	58	35	EL150