Product datasheet

Specifications



Socket outlet, Easy series, 1 gang, 13A, 250V, 3pin, white

A3J21426_WE

Main

Range	Easy Series
Product or component type	Socket-outlet
Device application	Power supply
Local signalling	With light indicator, LED (white)
Rated current	13 A at 250 V AC 50 Hz
Colour tint	White

Complementary

Device mounting	Electrified track
Socket additional information	Shuttered
Connections - terminals	Screwless terminals
IP degree of protection	IP20
Width	74 mm
Height	76 mm
Depth	44 mm
Socket number	1
fixing mode	Clip-in
Outlet poles configuration	3P
Device presentation	Complete product
Outlet standard deviation	Chinese
surface treatment	Untreated
Outlet standard description	3 pins Flat pin
Surface finish	Matt
Network type	AC
Material	PC (polycarbonate)

Environment

Ambient air temperature for operation	-5…40 °C
Ambient air temperature for storage	-5…60 °C
Relative humidity	0…95 %
Product certifications	IEC

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.8 cm
Package 1 Width	7.7 cm
Package 1 Length	9.4 cm
Package 1 Weight	90 g
Unit Type of Package 2	S03
Number of Units in Package 2	90
Package 2 Height	30 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	8.9 kg
Unit Type of Package 3	P12
Number of Units in Package 3	2160
Package 3 Height	105 cm
Package 3 Width	80 cm
Package 3 Length	120 cm
Package 3 Weight	225.6 kg

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Total lifecycle Carbon footprint	1
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

EU RoHS Directive	Compliant
REACh Regulation	REACh Declaration

Use Again

Repack and remanufacture

End of life manual availability	No need of specific recycling operations

Image of product / Alternate images

Alternative








A3J21426_WE
L
N
13A 250V
BS 1363 MS 589 SS 145
BS 5733 MS 1144 SS 241
8A-YYYY-MM-DD
Made in China


A3J21426_WE
13A 250V
BS 1363 MS 589 SS 145
BS 5733 MS 1144 SS 241
8A-YYYY-MM-DD
Made in China



